



Kcal = Watt x 0.860
BTU = Watt x 3.413


Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar




[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar



[5]*


Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



*only available with 4 - 6 - 8 - 10 elements.


*disponible uniquement avec 4 - 6 - 8 - 10 éléments.

*nur mit 4 - 6 - 8 - 10 Elementen erhältlich



[H]

Special connection / Raccord spéciale / Speziell Anschluss / Conexión especial



(P* = 234)

[CROM] **E12VIR**

Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar

Ghisa V

No. el.	H	L	I*	100 • [BASIC]*	150 • [BASIC]*	180 • [BASIC]*	200 • [BASIC]*
4	28,0	8,0		421	623	757	854
5	36,0	16,0		527	779	947	1 067
6	44,0	24,0		632	935	1 136	1 281
7	52,0	32,0		737	1 090	1 326	1 494
8	60,0	40,0		843	1 246	1 515	1 708
9	68,0	48,0		948	1 402	1 704	1 921
10	76,0	56,0		1 053	1 558	1 894	2 135
L*				0.16	0.25	0.30	0.34

*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont / Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: **[BASIC]**

Art*	H/L	No.el	color
GHV	200	4	B

[BASIC]

ARAG	ARRG	BLMT	BRAG
CRAG	FRAG	GRGR	GRPR
LRAG	MRAG	NRAG	CORT
GRSB	ARES	VRBR	RSCP
BCOR	NEOP	O113	

Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra

[CROM] **E12SQR**



Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático

[CROM] **TTR**



Ø ≤ 16 mm
[CROM] **CTR**

16 mm < Ø < 24 mm
[CROM] **CWR**



Towel hooks
Paire de patère
Crochet das Bugel
Percha

[CROM] **AGHL**
[COLOR] **AGHC**



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas

[CROM] **MGH41L**
[COLOR] **MGH41C**

*other colors and finishes on page / autres couleurs et finitions à la page
andere Farben und Ausführungen auf Seite / otros colores y acabados en la página:


art* = item / modèle / Artikel / artículo I* = pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones

L* = water content for each element / volume d'eau pour chaque element / Wassergehalt für Element / contenido de agua por cada elemento P* = page / page / Seite / página

Kcal = Watt x 0.860
BTU = Watt x 3.413


Watt Δt 60° = Watt Δt 50° x 1,277
Watt Δt 40° = Watt Δt 50° x 0.741
Watt Δt 30° = Watt Δt 50° x 0.504
Watt Δt 20° = Watt Δt 50° x 0.292

p max = 5.0 bar




[F]

Standard connection / Raccord standard
Standard Anschluss / Conexión estándar



[5]*

Special connection / Raccord spéciale
Speziell Anschluss / Conexión especial



*only available with 4 - 6 - 8 - 10 elements.


*disponible uniquement avec 4 - 6 - 8 - 10 éléments.

*nur mit 4 - 6 - 8 - 10 Elementen erhältlich




[H]

Special connection / Raccord spéciale / Speziell Anschluss / Conexión especial



[CROM] **E12VIR**

Built-in valves
Vanne à encastrer
Einbauventile
Válvulas de empotrar



Ghisa O

No. el.	H	L	100 • [BASIC]*	150 • [BASIC]*	180 • [BASIC]*	200 • [BASIC]*
4	28,0		442	654	795	897
5	36,0		553	818	994	1 121
6	44,0		664	981	1 193	1 345
7	52,0		774	1 145	1 392	1 569
8	60,0		885	1 308	1 591	1 793
9	68,0		996	1 472	1 790	2 017
10	76,0		1 106	1 635	1 988	2 242
Lt*			0.16	0.25	0.30	0.34
I*			78 cm	128 cm	158 cm	178 cm

*The only colours available for this product are/ Les seules couleurs disponibles pour ce produit sont / Die einzigen Farben dieses Modells sind / Los únicos colores disponibles para este radiador son: [BASIC]

Art*	H/L	No.el	color
GHO	200	4	B

[BASIC]

ARAG	ARRG	BLMT	BRAG
CRAG	FRAG	GRGR	GRPR
LRAG	MRAG	NRAG	CORT
GRSB	ARES	VRBR	RSCP
BCOR	NEOP	O113	


Optional




Angled Valve
Vanne équerre
Eckausführung Ventil
Válvula a escuadra
[CROM] **E12SQR**




Thermostatic head
Tête thermostatique
Thermostatkopf
Cabezal termostático
[CROM] **TTR**



Ø ≤ 16 mm
[CROM] **CTR**
16 mm < Ø < 24 mm
[CROM] **CWR**



Sleeving kit
Kit couvre tuyau
Rosetten
Kit cubre tubo
[CROM] **C5R**



Towel bar
Porte-serviettes
Handtuchhalter
Porta toallas
[CROM] **MGH41L**
[COLOR] **MGH41C**

*other colors and finishes on page / autres couleurs et finitions à la page
andere Farben und Ausführungen auf Seite / otros colores y acabados en la página:

art* = item / modèle / Artikel / artículo I* = pipe centres / distance entre depart et retour / Achsabstand / distancia entre las conexiones

Lt* = water content for each element / volume d'eau pour chaque element / Wassergehalt für Element / contenido de agua por cada elemento P* = page / page / Seite / página